



# Combi Steps

FSW219



Item no. FSW21900-0900

### General Product Information

Dimensions LxWxH	61x641x78 cm
Age group	13+
Capacity (users)	4
Colour options	 



See KOMPAN Fit app for more

As a single item, the step bench is already one of the most versatile pieces of exercise equipment. The KOMPAN Sport & Fitness app covers more than 50 exercises that you can do with it. By putting four in a row you also create a great element for an obstacle course. At each step the exercise becomes heavier and more power is needed to get on top, whether you step or jump.



# Combi Steps


FSW219



The support frame is  $\varnothing 48.3 \times 4$  mm, carbon steel, with a hot-dip galvanised surface according to ISO1461, and a powder coating corrosion class C3 according to ISO12944-2. Lead content for surfaces are below 90ppm.



The surface is produced of recycled SBR (Styrene Butadiene Monomer, Synthetic Rubber) for optimal grip during jumping and step on step off exercises under all weather circumstances.



A 5 mm hot-dip galvanised carbon steel plate must be moulded inside the SBR to offer optimal stability and optimize the mounting of the step to the frame.

Item no. FSW21900-0900

### Installation Information

Max. fall height	78 cm
Safety surfacing area	31,3 m <sup>2</sup>
Numbers of installers (persons)	1
Total installation time	3.9
Excavation volume	0,23 m <sup>3</sup>
Concrete volume	0,10 m <sup>3</sup>
Footing depth (standard)	90 cm
Shipment weight	200 kg
Anchoring options	In-ground ✓ Surface ✓

### Warranty Information

SBR rubber	2 years
Frame	10 years
Spare parts guaranteed	10 years





All KOMPAN fitness products are compliant with the ASTM F3101 & EN16630 Outdoor Fitness Standards. Load tests are performed as a static test by adding dynamic factors as well as safety factors to the specified load of 78kg per user. A product intended for 1 user is loaded with 420kg.

# Combi Steps

FSW219

\* Max fall height | \*\* Total height | \*\*\* Safety surfacing area

\* Max fall height | \*\* Total height



[Click to see 1:100 ratio TOP VIEW](#)